CONTENTS: VOLUME 69

Number 1, pp. 1-247, February 1988

PAGE
The effects of salinity and low temperature on eggs of the Iceland capelin <i>Mallotus villosus</i> . Davenport, J
On the pelagic occurrence and dispersal of the benthic amphipod <i>Corophium volutator</i> . Essink, K., Kleef, H.L. and Visser, W
Morphological adaptations of <i>Aglaophenia harpago</i> (Hydrozoa: Plumulariidae) to enhance feeding efficiency. Hughes, R.G. and Henderson D.H.J
Aspects of the life history of a tide pool population of <i>Amphipolis squamata</i> (Ophiuroidea) from South Devon. Emson, R.H. and Whitfield, P.J
The visual pigments of a deep-water malacosteid fish. Crescitelli, F
Tegumental glands in the paragnaths of Palaemon serratus (Crustacea: Natantia). Alexander, C.G53
The life history and reproductive biology of <i>Odostomia eulimoides</i> (Gastropoda: Opisthobranchia) on the south coast of Ireland. McFadden, Y.M.T. and Myers, A.A
The effect of feeding levels on the fecundity of plaice (<i>Pleuronectes platessa</i>). Horwood, J.W., Greer Walker, M. and Witthames, P
New species of <i>Terschellingia</i> (Nematoda: Linhomoeidae) from the Tamar estuary, England and the Maldive Islands. Austen, M.C
Patterns of variation in the dry body weight of Calanus finmarchicus in copepodite Stage V during autumn and winter in the Firth of Clyde. Grigg, H., Holmes, L.J. and Bardwell, S.J101
The macrobenthic infauna of the offshore northern North Sea. Eleftheriou, A. and Basford, D.J 123
On the structure of the inshore fish community of England and Wales. Henderson, P.A145
Methylotrophic and autotrophic bacteria isolated from lucinid and thyasirid bivalves containing symbiotic bacteria in their gills. Wood, A.P. and Kelly, D.P.
Shell morphology of larval and post-larval mytilids from the north-western Atlantic. Fuller, S.C. and Lutz, R.A
Cadmium and the phosphate granules in Littorina littorea. Nott, J.A. and Langston, W.J
Seasonal and year-to-year changes in the phytoplankton from the Plymouth area, 1963-1986. Maddock, L., Harbour, D.S. and Boalch, G.T
Book Notices 246

CONTENTS

Number 2, pp. 249-500, May 1988

Effects of zinc/salinity combinations on zinc regulation in Gammarus duebeni (Liljeborg) from the estuary and the sewage treatment works at Looe, Cornwall. Johnson, I. and Jones, M.B	249
Osmoregulation of the estuarine prawn <i>Palaemon longirostris</i> (Caridea: Palaemonidae). Campbell,P.J. and Jones, M.B.	. 261
Relative intraspecific aggressiveness of pedal disc colour phenotypes of the beadlet anemone, Actinia equina. Brace, R.C. and Reynolds, H.A.	. 273
The succession of generations and growth of the caligid copepods Caligus elongatus and Lepeophtheirus parasitising farmed Atlantic salmon smolts (Salmo salar L.). Tully, O	. 279
Patterns of excitation of the lateral line of the ruffe. Gray, J.A.B. and Best, A.C.G.	. 289
Recolonisation of artificial sediments in the deep Bay of Biscay by tanaidaceans (Crustacea: Peracarida), with a description of a new species of <i>Pseudotanais</i> . Bird, G.J. and Holdich, D.M	.307
A presumed male of the parthenogenetic Corophium bonnellii (Milne-Edwards). Myers, A.A., McGrath, D. and Cunningham, P.	.319
Seasonal changes in the lipid composition of herring (Clupea harengus) in relation to gonad maturation. Henderson, R.J. and Almatar, S.M.	. 323
The effects of tributyltin on dog-whelks (<i>Nucella lapillus</i>) from Scottish coastal waters. Bailey, S.K. and Davies, I.M.	. 335
Reproduction and settlement of Mytilus edulis L. on an exposed rocky shore in Galway Bay, west coast of Ireland. King, P.A., McGrath, D. and Gosling, E.M.	.355
The use of graphical methods to estimate demographic parameters. Grant, A.	.367
Observations on the reproduction of <i>Modiolus modiolus</i> in Isle of Man waters. Jasim, A.K. and Brand, A.R.	. 373
The epifauna of the northern North Sea (56°-61°N). Basford, D.J., Eleftheriou, A. and Raffaelli, D	.387
Possible wavelength discrimination by multibank retinae in deep-sea fishes. Denton, E.J. and Locket, N.A.	. 409
Mercury concentrations in fish from contaminated areas in Scottish waters. Clark, G. and Topping, G.	. 437
Aspects of histology in <i>Macoma carlottensis</i> (Bivalvia: Tellinidae) and <i>in situ</i> histopathology related to mine-tailings discharge. Bright, D.A. and Ellis, D.V.	
Experimental studies of the reproductive behaviour of the parasitic copepod <i>Lernaeocera</i> branchialis (L.) (Pennellidae). Anstensrud, M.	465
An analysis of the microgrowth bands in the shell of the common mussel Mytilus edulis. Richardson, C.A.	477
Predation on herring larvae and eggs by sand eels (Ammodytes marinus Rait) and Hyperoplus lanceolatus (Lesauvage). Rankine, P.W. and Morrison, J.A.	493
Book Notices	499

Number 3, pp. 501-743, August 1988

Does the fish-killing dinoflagellate Gymnodinium cf. nagasakiense produce cytotoxins?	
Partensky, F., Le Boterff, J. and Verbist, JF.	501
Biometrical changes during growth of isolated individuals of <i>Balanus improvisus</i> . Furman, E.R. and Crisp, D.J.	.511
Distribution and structure of luminous cells in four marine copepods. Bannister, N.J. and Herring P.J.	. 523
Seasonal variations in fecundity and egg size of the common goby, <i>Pomatoschistus microps</i> . Rogers, S.I.	. 535
Feeding pattern of <i>Sepia officinalis</i> (Cephalopoda: Sepiodidea) in the Ria de Vigo (NW Spain). Castro, B.G. and Guerra, A.	.545
Photomorphogenesis in early development of <i>Tilopteris mertensii</i> (Tilopteridales: Phaeophyceae). Kuhlenkamp, R.	. 555
The shell of Cardium edule, Cardium glaucum and Ruditapes philippinarum: organic contents, proxima composition and energy value, as determined by different methods. Goulletquer, P. and Wolowicz, M.	
A comparison of the intertidal harpacticoid copepod assemblages of sandy beaches in Galway Bay	
(Ireland) and northern Brittany (France). Bodin, P. and Jackson, D.F.	
Energy values of marine benthic invertebrates from the western English Channel. Dauvin, JC. and Joncourt, M.	. 589
On the muscle fibres and locomotor activity of doliolids (Tunicata: Thaliacea). Bone, Q	597
Rapid hatching induced by light intensity reduction in the polyopisthocotylean monogenean Plectanocotyle gurnardi from the gills of gurnards (Triglidae), with observations on the anatomy and behaviour of the oncomiracidium. Whittington, I.D. and Kearn, G.C	609
Modelling of phytoplankton population dynamics in an enclosed water column. Andersen, V. and Nival, P	625
Escape responses of herring larvae to visual stimuli. Batty, R.S.	
A note on the distribution and diet of deep-water rays (Rajidae) in an area of the Rockall Trough. Gordon, J.D.M. and Duncan, J.A.R.	
Feeding potential in the lecithotrophic larvae of Adalaria proxima and Tritonia hombergi: an evolutionary perspective. Kempf, S.C. and Todd, C.D.	659
Salinity effects on brood maturation of the mysid crustacean Mesopodopsis slabberi. Greenwood, J.G., Jones, M.B. and Greenwood, J.	683
Extended pre-feeding period in planktotrophic larvae of the bathyal echinoid Aspidodiadema jacoby Young, C.M., Cameron, J.L. and Eckelbarger, K.J.	i. 695
The spatial distribution of <i>Perkinsus marinus</i> , a protozoan parasite, in relation to its oyster host (<i>Crassostrea virginica</i>) and an ectoparasitic gastropod (<i>Boonea impressa</i>).	
White, M.E., Powell, E.N., Wilson, E.A. and Ray, S.M.	703

CONTENTS

Abstracts: Light and Life in the Sea	719
Short Communication: A rod-and-line fishery for herrings at Plymouth, 1937-1953. Kelley, D.F	
Book Notices	
Number 4, pp. 745-975, November 1988	
The First Leslie Cooper Memorial Lecture: Gaia. Lovelock, J.E.	745
The Gaia hypothesis - fact or fancy? Craik, J.C.A.	759
Morphology of the nervous system of barnacles: the median ocellus of Balanus hameri	
(=Chirona hameri) (Crustacea: Cirripedia). Clare, A.S. and Walker, G	769
In situ foraging and feeding behaviour of narcomedusae (Cnidaria: Hydrozoa). Larson, R.J., Mills, C.E. and Harbison, G.R.	785
Laboratory studies on the development of Nephrops norvegicus larvae.	
Thompson, B.M. and Ayers, R.A.	795
Narcotising sea anemones. Moore, S.J.	803
Long term trends in the occurrence of <i>Phaeocystis</i> sp. in the north-east Atlantic.	
Owens, N.J.P., Cook, D., Colebrook, M., Hunt, H. and Reid, P.C.	813
Mytilicola intestinalis (Copepoda: Cyclopoida): a ten year survey of infested mussels in a	
Cornish estuary, 1978-1988. Davey, J.T.	823
Shell shape variation in Littorina saxatilis and L. arcana: a case of character displacement. Grahame, J. and Mill, P.J.	837
A sibling species group of <i>Hydractinia</i> in the north-eastern United States.	
Buss, L.W. and Yund, P.O.	857
Redescription of Nephtys assimilis and N. kersivalensis (Polychaeta: Phyllodocida) and a key to	
Nephtys from northern Europe. Rainer, S.F.	875
Assimilation of dietary sterols and faecal contribution of lipids by the marine invertebrates	
Neomysis integer, Scrobicularia plana and Nereis diversicolor. Bradshaw, S.A., O'Hara, S.C.M., Corner, E.D.S. and Eglinton, G.	891
The drift amphipod Hyale grimaldii in Irish and British waters. McGrath, D. and Myers, A.A	913
Announcement	913
Book Notices	921
Report of the Council for 1988-89	923
Financial Statement 1988-89	969

CORRIGENDA

Page 125, for legend to Figure 2 read legend to Figure 3 and vice versa.

Page 525, for scale bars labelled 1 cm read 1 mm.

